


# Pre-Packaged Food and Beverage Inspection Report

	<b>Department of Regulatory Services</b> Division of Environmental Management & Safety Environmental Health & Food Safety 250 South Fourth Street, Room 414, Minneapolis, Minnesota 55415 Phone: 612-673-2170 FAX: 612-673-2635 TTY: 612-673-2233 Web: <a href="http://www.ci.minneapolis.mn.us/environmental-health/">http://www.ci.minneapolis.mn.us/environmental-health/</a>	Total Violations	2	Date of Inspection	05/02/2012
		Critical Violations	1	Inspection Time	10:15 AM
		License Current and Posted	Yes		
		Reinspection Needed	No	Time Out	10:40 AM
<b>Facility Name</b> NICOLAS LEMA	<b>Address</b> 1612 ALABAMA AVE	<b>City/State</b> ST LOUIS PARK, MN	<b>Zip Code</b> 55416	<b>Telephone</b> (612) 245-8301	
<b>License #</b> L158-50046	<b>Owner</b> LEMA NICOLAS	<b>Inspection Purpose</b> Routine	<b>License Type</b> FOOD MOBILE VENDOR	<b>Risk Category</b> 2	

## FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

IN=in compliance    OUT=not in compliance    N/O=not observed    N/A=not applicable    COS=corrected on-site during inspection    R=repeat violation

Compliance Status	COS	R	Compliance Status	COS	R
<b>Confectionery</b>			14	N/A	Washing fruits & vegetables
1	IN	Valid License Posted	15	IN	Single-use & single-service articles; properly stored & used
2	IN	PIC present, knowledgeable; duties & oversight	16	IN	Equipment, Food & Non-food contact surfaces
3	N/A	Adequate HandWashing Facilities supplied & accessible.	17	N/A	Warewashing facilities; installed, maintained, & used; test strips
4	Out	Food Contact Surfaces Clean	18	N/A	Hot & cold water available; adequate pressure
5	IN	Floors, Walls and Ceilings Clean and in Good Repair	19	N/A	Toilet facilities: properly constructed, supplied, cleaned
6	N/A	Mops Clean and Properly Hanged	20	IN	Garbage & refuse properly disposed; facilities maintained
7	IN	Chemicals Labelled and Properly Stored	21	IN	Physical facilities installed, maintained, & clean
8	N/A	Insect, Pest and Rodent Control	22	N/O	Food & Cooler/Freezer Temperatures
9	Out	Unnecessary Articles Removed from Establishment	23	IN	Other Violations Noted
10	IN	No Open Bait Station in the Establishment	<div style="border: 1px solid black; padding: 5px;">                     Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury. X - Critical Item Requiring Immediate Action                 </div>		
11	N/A	Contamination prevented during food preparation, storage and display.			
12	N/A	Sanitizing Equipment & Utensils			
13	N/A	Wiping cloths; properly used & stored; Discontinue use of sponges			

## FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Item/Location	Food Temp	Air Temp	Item/Location	Food Temp	Air Temp	Item/Location	Food Temp	Air Temp

## SANITIZER INFORMATION

Sanitizer Location	Method Used	Sanitizer PPM	Sanitizer Used	Water Temp.

## MATERIALS PROVIDED:



# Pre-Packaged Food and Beverage Inspection Report

	<b>Department of Regulatory Services</b> Division of Environmental Management & Safety Environmental Health & Food Safety 250 South Fourth Street, Room 414, Minneapolis, Minnesota 55415 Phone: 612-673-2170 FAX: 612-673-2635 TTY: 612-673-2233 Web: <a href="http://www.ci.minneapolis.mn.us/environmental-health/">http://www.ci.minneapolis.mn.us/environmental-health/</a>	Total Violations	2	Date of Inspection	05/02/2012
		Critical Violations	1	Inspection Time	10:15 AM
		License Current and Posted	Yes		
		Reinspection Needed	No	Time Out	10:40 AM

<b>Facility Name</b> NICOLAS LEMA	<b>Address</b> 1612 ALABAMA AVE	<b>City/State</b> ST LOUIS PARK, MN	<b>Zip Code</b> 55416	<b>Telephone</b> (612) 245-8301
<b>License #</b> L158-50046	<b>Owner</b> LEMA NICOLAS	<b>Inspection Purpose</b> Routine	<b>License Type</b> FOOD MOBILE VENDOR	<b>Risk Category</b> 2

### OBSERVATIONS AND CORRECTIVE ACTIONS

Item Number	Violations cited in this report must be corrected within the time frames below.
4	<b>(Critical)</b> 4-601.11A Equipment food contact surfaces and utensils shall be clean to sight and touch. MN Rule 4626.0840 ICE CREAM COOLERS AND FRIDGE DIRTY. <b>Correct By: 05/02/12</b>
9	6-501.114 Remove all unnecessary articles and litter from the premises which are not pertinent to the current operation of the food establishment. MN Rule 4626.1580 PILLOWS IN THE TRUCK. REMOVE ANY ARTICLE NOT PERTINENT TO THE TRUCK. <b>Correct By: 05/02/12</b>

**Comments:**

ICE CREAM TRUCK VJZ-197 INSPECTED. DECAL NUMBER 2013-0038 POSTED.

This inspection report is based on City of Minneapolis regulations which can be viewed at the following website:  
<http://library.municode.com/index.aspx?clientId=11490&stateId=23&stateName=minnesota>

It lists corrections and improvements needed to reduce the health and safety risk factors. The conditions noted were identified either by observation or during our discussion of your current safety standards/systems. You are responsible for correcting all violations noted above immediately or by the fix-by-date listed. Please call me if you have questions or need additional information.

Failure to comply with applicable laws and regulations may result in civil, administrative or criminal enforcement action. If compliance is not achieved, the City official is authorized to issue a minimum administrative citation of \$200 per violation and one hundred dollar (\$100.00) fee for any subsequent re-inspection.

The amount of the citation will double each time for same or similar repeat violations with in 24 months.

Permits must be secured for all construction, plumbing, electrical and mechanical work. Work must be performed by a licensed contractor. Permits are obtained at Minneapolis Development Review, 250 South 4th Street, Room 300, Minneapolis, MN 55415, (612)-673-3000 or dial 311, (612) 673-3300 (TTY).

Minneapolis Licenses and Consumer Services grants FINAL approval for operation of the business at City Hall, 350 South 4th Street, Room 1-C, Minneapolis, MN.

**English** - Attention. If you want help understanding this information, call (612) 673-5844.

**Hmong** - Ceeb toom. Yog koj xav tau kev pab txhais cov xov no rau koj dawb, hu (612) 673-2800.

**Spanish** - Atención. Si desea recibir asistencia gratuita para traducir esta información, llame al (612) 673-2700.

**Somali** - Ogow. Haddii aad dooneyso in lagaa kaalmeeyo tarjamadda macluumaadkani oo lacag la' aan wac (612) 673-3500.

**Deaf and Hard of Hearing Access number:** (612) 673-3220    **TTY line:** (612) 673-2626

HSG

**Dave Singh**

Code Compliance Officer,  
 Davinderjit.Singh@ci.minneapolis.mn.us

**Date:**